



E-RTO Management System For Vehicle Tracking Along With Vehicle Owner By Using Bozorth3 Algorithm

Komal Kachole¹, Priyanka Khaire², Sayali Sawant³, Vidya Sawant⁴, Vaibhav Dhage⁵

¹Computer Department, P K Technical Campus, Chakan

²Computer Department, P K Technical Campus, Chakan

³Computer Department, P K Technical Campus, Chakan

⁴Computer Department, P K Technical Campus, Chakan

⁵Assistant Professor, Computer Department, P K Technical Campus, Chakan

Abstract --- Fingerprints square measure made in details that square measure within the kind of discontinuities in ridges called trivialities and square measure distinctive for every person. one amongst the foremost necessary tasks considering associate degree automatic fingerprint recognition system is that the trivialities biometric pattern extraction from the captured image of the fingerprint. The fingerprint marriage broker compares options by victimisation Digital Image process from input search purpose against all acceptable driving licences within the info to work out if a probable match exists. With this implementation, therell be no ought to carry documents on. one fingerprint and a picture are enough to acknowledge and verify the individual and also the vehicle. Mobile platforms like smart-phones and pill computers have earned the technological capability to perform tasks on the far side their meant functions. The steady increase of process power has enticed researches to try more and more difficult tasks on mobile devices with acceptable modifications over their stationary counterparts. during this work we have a tendency to describe main options of software system modules developed for humanoid smartphones that square measure employed by RTO officers for licence and vehicle documents verification. during this project we have a tendency to use biometric approach like fingerprints and vehicle variety plates for verification

Keywords- *Fingerprint authentication, Cygwin tool, Bozorth3, Biometric*

I. INTRODUCTION

Fingerprints are unit wealthy in details that are unit within the style of discontinuities in ridges called trivia and are unit distinctive for every person. One in every of the foremost necessary tasks considering associate degree automatic fingerprint recognition system is that the trivia biometric pattern extraction from the captured image of the fingerprint. The office system uses a trivia primarily based marriage broker to demonstrate a persons' identity. Firstly, the trivia detection algorithmic program depends on binarization of every grayscale input image so as to find all trivia points. The fingerprint marriage broker compares options by mistreatment Digital Image process from input search purpose against all acceptable driving licenses within the information to see if a probable match exists. With this implementation, there'll be no ought to carry documents on. Mobile platforms like smart-phones and pill computers have earned the technological capability to perform tasks on the far side their supposed functions. during this project we have a tendency to describe main options of code modules developed for golem sensible phones that are unit employed by RTO officers for license and vehicle documents verification. during this project we have a tendency to conjointly use multithreading for thumb recognition and automatic deduction of fine.

The traffic police use a manual method for supportive documents of an individual. However, individuals got to face several issues with the present procedure employed by the police for supportive documents of an individual. per the general public purpose of read there's no facility provided by RTO which is able to build the person document free. the most drawback with the prevailing system is that either individuals got to carry their documents or charge account credit however there's chance that the data may drift. In finger print recognition technique biometric identification is predicated on distinctive characteristics of the human fingerprint. A fingerprint image is browse from a fingerprint recognition device then options are unit extracted from the image mistreatment Bozorth3 algorithmic program and also the concerning info is extracted from information. once the match is found police can get all the detail info regarding vehicle on his golem application. nowadays golem devices play a vital role in our day to day life since most of the tasks are often done on golem device. Since the individuals got to carry documents concerning the data of the vehicle, the police similarly as individuals got to face several issues. so the traffic police app not solely reduces the task of the police however conjointly makes the person document free.

II. LITERATURE SURVEY

Aditi Roy, Nasir Memon, and Arun Ross[1],proposed to investigates the security of partial fingerprint-based authentication systems, especially when multiple fingerprints of a user are enrolled.

Markus Durmuth, David Oswald, Niklas Pastewka, ACM 2016 [2],this introduced how the matching is done by using Bozorth3 algorithm.

Ye Zhang and Farinaz Koushanfar Dept. of ECE, Rice University Houston, Texas, USA [3]

Robust Privacy preserving fingerprint authentication , This paper proposed the first scalable, efficient , and reliable privacy preservation minutiae based fingerprint authentication.

Ishan Khurjekar, Bhushan Garware, Aditya Abhyankar, Department of Technology Savitribai Phule Pune University [4], This system proposed Partial fingerprint matching is still a challenging problem to be solved.

Dr. Lakhwinder Kaur,Paramvir Singh,Department of Computer Engineering [5]

This paper proposed how Fingerprint extraction is the process to find the minutiae points from a fingerprint and feature extraction is how to increase the accuracy?

I V. EXISTING SYSTEM

In Existing system , The traffic police use a manual process for verifying documents of a person. However, People have to face many problems with the current procedure used by the police for verifying documents of a person. In doing so, carrying documents is mandatory for the vehicle owners which is risky because they may get lost or broken. Also the RTO has not provided any facility to the traffic police which is safe and secure.


According to the public point of view there is no facility provided by RTO which will make the person document free. The main problem with the existing system is that either people have to carry their documents or smart card but there is possibility that the information might get lost.

Dis-advantages:-

1. Impossible to carry license and vehicle documents every time.
2. To implement this system which increases the robustness and efficiency of RTO system and traffic issues.
- 3 .Existing system work is done manually .

V.PROPOSED SYSTEM

In Proposed system consists the fingerprint recognition technique. The fingerprint recognition technique will help to identify whether the person is authorized to drive the vehicle or not. Also after getting caught the person will be fined. The fine will be deducted automatically from the person's bank account. As far as the security is concerned, the traffic police have whole control of the system and data is fetched from the secure RTO server. Thus by all means the system is secure and safe to use and also user friendly.



Advantages:-

1. Protect sensitive information.
2. Easy to use and handle.
3. This system will help in increasing the robustness and speed of the RTO system.
4. All Make digitalize documentation and no need to carry document.
5. Saving paper.
6. It will also increase efficiency in procedure related to vehicle burglary

VI. SYSTEM ARCHITECTURE




Figure 1. System Architecture

User Module

1. System activation after the user logs into the system .
2. The thumb impression of the driver will be captured and sent to the server
3. After getting details from the system, fine will be applied by the user System Module.
 - i) Calculation of Matchscore for the input image .
 - ii) Details to be sent to the user .
 - iii) Automatic Fine deduction from the drivers account.

In finger print recognition technique finger scan is based on distinctive characteristics of the human fingerprint. A fingerprint image is read from a fingerprint recognition device then features are extracted from the image using Bozorth3 algorithm and the regarding information is extracted from database. After the match is found police will get all the detail information about vehicle on his android application.

VII. CONCLUSION

The higher than implementation was an endeavor to grasp however Fingerprint Recognition is employed as a sort of biometric to acknowledge identities of mortals. It includes all the stages from trivia extraction from fingerprints to trivia matching that generates a match score. numerous customary techniques are employed in the intermediate stages of process. the normal fingerprint recognition system takes longer for recognition due to preprocessing and post process steps of pictures and therefore become impractical. we have a tendency to perform matching between mean fingerprint and alternative templates (FVC 2004 DB4 information, that has poor-quality fingerprints) to point out the aptitude of the system

VIII. REFERENCES

- 1] Aditi Roy, Student Member, IEEE, Nasir Memon, Fellow, IEEE, and Arun Ross, Senior Member, IEEE, MasterPrint: Exploring the Vulnerability of Partial Fingerprint-based Authentication Systems, IEEE Transaction On Information Forensic And Security Vol. 12, No. 9, Sept 2017.
- 2] Markus Dürmuth, David Oswald, Niklas Pastewka, ACM , Side-Channel Attacks on Fingerprint Matching Algorithms, TrustED'16, October 28 2016, Vienna, Austria.
- 3] Ye Zhang and Farinaz Koushanfar Dept. of ECE, Rice University Houston, Texas, USA, Robust Privacy-Preserving Fingerprint Authentication 2016 IEEE International Symposium on Hardware Oriented Security and Trust (HOST).
- 4] Ishan Khurjekar, Bhushan Garware, Aditya Abhyankar, *2015 International Conference on Information Processing (ICIP)* Vishwakarma Institute of Technology. Dec 16-19, 2015 , Towards Minimizing Effect of Partial Fingerprint Images on the Performance of Fingerprint Recognition Systems
- 5] Dr. Lakhwinder Kaur, Paramvir Singh, Department of Computer Engineering Minutiae Extraction from Fingerprint Images - a Review, International Journal of Engineering Research & Technology (IJERT) , ISSN: 2278-0181

- 6] J. Galbally, F. Alonso-Fernandez, J. Fierrez, and J. Ortega-Garcia, A high performance fingerprint liveness detection method based on quality related features, *Future Generation Computer Systems*, vol. 28, no. 1, pp. 311-321, 2012.
- 7] Xuejun Tan, Bir Bhanu, Fingerprint matching by genetic algorithms, *Pattern Recognition*, vol. 39, 2006, pp. 465 477.
- 8] Jain, R. Bolle, and S. Pankanti, *Biometrics Personal Identification in Networked Society*, Kluwer Academic Publishers New York, Boston, Dordrecht, London, Moscow, pp. 1-64, 2002.
- 9] J. Ortega-Garcia, J. Fierrez-Aguilar, D. Simon, M. F. J. Gonzalez, V. Espinosa, A. Satue, I. Hernaez, J. J. Igarza, C. Vivaracho, D. Escudero and Q. I. Moro, MCYT baseline corpus : A bimodal biometric database, *IEEE Proceedings Vision, Image and Signal Processing, Special Issue on Biometrics on the Internet*, Vol.150, n.6, pp.395-401, December 2003.
- 11] Liang -Wei Chen, Chao- Rong Li, Invariant moment features for fingerprint recognition, *IEEE*, pp 91-94, 2013.
- 12] Vaishali Pawar, Mukesh Zaveri, Graph Based K-Nearest Neighbor Minutiae Clustering for Finger-print Recognition, *10th IEEE International Conference on Natural Computation*, pp 675-680, 2014.
- 13] S. Chavan, P. Mundada, D. Pal. Fingerprint Authentication using Gabor Filter based Matching Algorithm. *International Conference on Technologies for Sustainable Development (ICTSD-2015)*, Feb. 04 - 06, 2015, Mumbai, India.